	Application No.	Applicant(s)
Notice of Allowability	09/500,181	BERESTOV, ALEXANDER
	Examiner	Art Unit
	Shefali D Patel	2621
The MAILING DATE of this communication apperature All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIOF the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in or other appropriate commits application is	n this application. If not included unication will be mailed in due course. THIS
1. This communication is responsive to <u>an amendment filed c</u>	on July 30, 2004.	
2. The allowed claim(s) is/are <u>1-23</u> .		•
3. \boxtimes The drawings filed on <u>26 February 2001</u> are accepted by the	he Examiner.	
 4. ☐ Acknowledgment is made of a claim for foreign priority ur a) ☐ All b) ☐ Some* c) ☐ None of the: 1. ☐ Certified copies of the priority documents have 2. ☐ Certified copies of the priority documents have 3. ☐ Copies of the certified copies of the priority do International Bureau (PCT Rule 17.2(a)). * Certified copies not received: 	been received. been received in Applicati	on No
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
6. CORRECTED DRAWINGS (as "replacement sheets") mus	st be submitted.	
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) ☐ hereto or 2) ☐ to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s)		
1. Notice of References Cited (PTO-892)		nformal Patent Application (PTO-152)
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	Paper No.	lummary (PTO-413), /Mail Date
 Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 	vo), /. ∐ Examiner's	: Amendment/Comment
4. Examiner's Comment Regarding Requirement for Deposit		Statement of Reasons for Allowance
of Biological Material	9. Other	<u>-</u> -
	DANIEL MI PRIMARY EX	RIAM- AMINER

ALLOWANCE

1. Applicant's arguments, see remarks (pages 9-15), filed on July 30, 2004, with respect to claims 1-19 have been fully considered and are persuasive. The rejections of claims 1-9 and 13-19 have been withdrawn.

Allowable Subject Matter

- 2. Claims 1-23 are allowed.
- 3. The following is an examiner's statement of reasons for allowance:

The instant invention defines, in independent claims 1, 8, and 18-19, a method/system/computer-medium of locating matching points in two original images of a scene, a left image and a right image, such that the images have at least some overlap area. The claimed invention distinguishes over the prior art by the manner in which running a second correspondence search using the first matching point found by the first correspondence search to find a second matching point in the right image, wherein the second correspondence search is not run on any points to the left of the first point in the right image, and wherein a range of the second correspondence search is narrower than a range of the first correspondence search. The claimed combination allows for improving a method by having the invention reducing occlusion errors from object boundaries and out-of-focus objects, thus improving the accuracy of stereo matching processes over those processes found in the prior art. Locating matching points in images is conventional. However, the prior art of record fails to teach (as does the present invention of the applicant), involving a reciprocal search where, after running a first correspondence search to find a first matching point in a left image, a second correspondence

Application/Control Number: 09/500,181

Art Unit: 2621

search is run using the first matching point found by the first correspondence search to find a second matching point in the right image. These elements in combination with all of the other elements of the claims are not taught or fairly suggested in the prior art of record. The dependent claims 2-7, 9-17, and 20-23 are allowed for the same reasons.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Shefali D Patel whose telephone number is 703-306-4182. The examiner can normally be reached on M-F 8:00am - 5:00pm (First Friday Off).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Leo H Boudreau can be reached on 703-305-4706. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Art Unit: 2621

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

DANIEL MIRIAM PRIMARY EXAMINER

September 16, 2004

Shefali D Patel Examiner Art Unit 2621